


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Currently Amended) A medicament for enhancing an effect of a cancer therapy based on a mode of action of DNA injury, which comprises as an active ingredient a substance selected from ~~the group consisting of~~ a compound represented by the following general formula (I), ~~and a pharmacologically acceptable salt thereof, and a hydrate thereof, and a solvate thereof:~~




wherein one of R¹ and R² represents hydrogen atom and the other represents the formula -X-A wherein A represents hydrogen atom or an acyl group, X represents oxygen atom or NH; one of R³ and R⁴ represents hydrogen atom and the other represents the following formula:



wherein Y represents a sulfonyl group or a carbonyl group, R⁵ represents a phenyl group which may be substituted, a naphthyl group which may be substituted, a furyl group which may be substituted, a pyridyl group which may be substituted, a benzimidazolyl group which may be substituted, or a cycloalkyl group, Z represents a single bond or a C₁

to C₄ alkylene group R⁶ represents hydrogen atom or a C₁ to C₆ alkyl group, with the following provisos:


a compound represented by the following formula:



wherein each of A, Z, R⁵ and R⁶ has the same meaning as that defined above is excluded;

when R³ is hydrogen atom, then Y is a sulfonyl group;

when R² is the formula -NH-A, R⁴ is a hydrogen atom, and Y is a sulfonyl group, then R⁵ is a phenyl group which is substituted, a naphthyl group which may be substituted, a furyl group which may be substituted, a pyridyl group which may be substituted, or a benzimidazolyl group which may be substituted; and
compounds of the following formulas are excluded:



2. (Previously Presented) The medicament according to claim 1, wherein R⁵ is a phenyl group which may be substituted, a naphthyl group which may be substituted, a

furyl group which may be substituted, a pyridyl group which may be substituted, or a benzimidazolyl group which may be substituted.

3. (Previously Presented) The medicament according to claim 1, wherein Z is a methylene group.

4. (Previously Presented) The medicament according to claim 1, wherein Y is a sulfonyl group.

5. (Previously Presented) The medicament according to claim 1, wherein R¹ is a group represented by the formula -X-A wherein A represents a hydrogen atom or an acyl group, X represents an oxygen atom or NH, and R² is hydrogen atom.


6. (Previously Presented) The medicament according to claim 1, wherein the cancer therapy based on the mode of action of DNA injury is carried out by an administration of an anticancer agent and/or radiation.

7. (Currently Amended) The medicament according to claim 6, wherein the anticancer agent is selected from ~~the group consisting of~~ bleomycin, adriamycin, cisplatin, cyclophosphamide, mitomycinC, and ~~a derivative~~ derivatives thereof.

8. (Previously Presented) The medicament according to claim 1, which is a specific inhibitor of a protein kinase and/or an analogous enzyme thereof.

9. (Currently Amended) A medicament for reducing a side effect resulting from a cancer therapy based on a mode of action of DNA injury, which comprises as an active ingredient a compound represented by the general formula (I), or a pharmacologically acceptable salt thereof, or a hydrate thereof, or a solvate thereof according to claim 1.

10. (Currently Amended) A compound represented by the general formula (I), or a pharmacologically acceptable salt thereof, or a hydrate thereof, or a solvate thereof according to claim 1, provided that the following compound is excluded:



11. (Currently Amended) A compound selected from ~~the group consisting of~~ the following compounds or a pharmacologically acceptable salt thereof, or a hydrate thereof or a solvate thereof:

N-Benzyl-5-[[[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-[[[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-[[[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-[[[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-[[[(4-methylphenyl)sulfonyl]oxy}naphthalene-1-sulfonamide;

N-(2-Methylbenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(tert-Butyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[2-(Trifluoromethyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Trifluoromethyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,4-Dihydroxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(2-Methoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3-Methoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(2,3-Dimethoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,5-Dimethoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,4-Methylenedioxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3-Aminobenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Dimethylamino)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Methanesulfonyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(1-Naphthylmethyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[(5-Methylfuran-2-yl)methyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-

sulfonamide;

N-[(Pyridin-2-yl)methyl]-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-[(Benzimidazol-2-yl)methyl]-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Cyclohexylmethyl-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Phenyl-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-(2-Phenethyl)-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-(1-Phenethyl)-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Benzyl-N-methyl-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Benzyl-5-hydroxynaphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2-Methylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-[2-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-(3,4-Dihydroxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2-Methoxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3-Methoxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2,3-Dimethoxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3,5-Dimethoxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(3,4-Methylenedioxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(3-Aminobenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-[4-(Dimethylamino)benzyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[4-(Methanesulfonyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[(Benzimidazol-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-Cyclohexylmethyl-5-hydroxynaphthalene-1-sulfonamide;
N-Phenyl-5-hydroxynaphthalene-1-sulfonamide;
N-(2-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(1-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-Benzyl-N-methyl-5-hydroxynaphthalene-1-sulfonamide;
5-Acetyloxy-N-benzyl-naphthalene-2-sulfonamide;
5-Acetyloxy-N-(2,4-dichlorobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(3-nitrobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-[4-(trifluoromethyl)benzyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(3-aminobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(1-naphthylmethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-[(5-methylfuran-2-yl)methyl]naphthalene-2-sulfonamide;

5-Acetyloxy-N-[(pyridin-2-yl)methyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-(cyclohexylmethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-phenylnaphthalene-2-sulfonamide;
5-Acetyloxy-N-(2-phenethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(1-phenethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-benzyl-N-methylnaphthalene-2-sulfonamide;
N-Benzyl-5-hydroxynaphthalene-2-sulfonamide;
N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(3-Nitrobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;
N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;
N-(2,3-Dimethoxybenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(3-Aminobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;
N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;
N-(Cyclohexylmethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-Phenyl-5-hydroxynaphthalene-2-sulfonamide;
N-(2-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(1-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-Benzyl-N-methyl-5-hydroxynaphthalene-2-sulfonamide;
5-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;
5-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

5-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

5-Acetylamino-N-benzyl-N-methylnaphthalene-2-sulfonamide;

5-Amino-N-benzyl-naphthalene-2-sulfonamide;

5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

5-Amino-N-benzyl-N-methylnaphthalene-2-sulfonamide;

6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;

6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;

6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;

6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;

6-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;

6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

6-Amino-N-benzyl-naphthalene-2-sulfonamide;

6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;

6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;

5-Amino-N-benzyl-naphthalene-1-carboxamide;

5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-carboxamide; and

5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-carboxamide.

12. (Currently Amended) A medicament which comprises as an active ingredient a substance selected from ~~the group consisting of~~ a compound, and a pharmacologically acceptable salt thereof, and a hydrate thereof, and a solvate thereof according to claim 10.

13. (Original) A medicament according to claim 12, which is used for enhancing an effect of a cancer therapy based on a mode of action of DNA injury.

14. (Previously Presented) The medicament according to claim 2, wherein Z is a methylene group.

15. (Previously Presented) The medicament according to claim 2, wherein Y is a sulfonyl group.

16. (Previously Presented) The medicament according to claim 2, wherein R^1 is a group represented by the formula -X-A wherein A represents hydrogen atom or an acyl group, X represents oxygen atom or NH, and R^2 is hydrogen atom.

17. (Previously Presented) The medicament according to claim 2, wherein R^5 is a substituted phenyl group.

18. (Currently Amended) The medicament according to claim 2, wherein the compound is selected from the ~~group consisting of~~ the following compounds:

N-Benzyl-5-{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(2-Methylbenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(tert-Butyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[2-(Trifluoromethyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Trifluoromethyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,4-Dihydroxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(2-Methoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3-Methoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(2,3-Dimethoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,5-Dimethoxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3,4-Methylenedioxybenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(3-Aminobenzyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Dimethylamino)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-[4-(Methanesulfonyl)benzyl]-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;
N-(1-Naphthylmethyl)-5-{{{(4-methylphenyl)sulfonyl}oxy}naphthalene-1-sulfonamide;

N-[(5-Methylfuran-2-yl)methyl]-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-[(Pyridin-2-yl)methyl]-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-[(Benzimidazol-2-yl)methyl]-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Phenyl-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-(2-Phenethyl)-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-(1-Phenethyl)-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Benzyl-N-methyl-5-[[(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide;

N-Benzyl-5-hydroxynaphthalene-1-sulfonamide;

N-(2,6-Difluorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(4-Nitrobenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2-Methylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-[2-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;

N-(3,4-Dihydroxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2-Methoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3-Methoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(2,3-Dimethoxylbenzyl)-5-hydroxynaphthalene-1-sulfonamide;

N-(3,5-Dimethoxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(3,4-Methylenedioxybenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(3-Aminobenzyl)-5-hydroxynaphthalene-1-sulfonamide;
N-[4-(Dimethylamino)benzyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[4-(Methanesulfonyl)benzyl]-5-hydroxynaphthalene-1-sulfonamide;
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-[(Benzimidazol-2-yl)methyl]-5-hydroxynaphthalene-1-sulfonamide;
N-Phenyl-5-hydroxynaphthalene-1-sulfonamide;
N-(2-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-(1-Phenethyl)-5-hydroxynaphthalene-1-sulfonamide;
N-Benzyl-N-methyl-5-hydroxynaphthalene-1-sulfonamide;
5-Acetyloxy-N-benzyl-naphthalene-2-sulfonamide;
5-Acetyloxy-N-(2,4-dichlorobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(3-nitrobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-[4-(trifluoromethyl)benzyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(3-aminobenzyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(1-naphthylmethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-[(5-methylfuran-2-yl)methyl]naphthalene-2-sulfonamide;
5-Acetyloxy-N-[(pyridin-2-yl)methyl]naphthalene-2-sulfonamide;

5-Acetyloxy-N-phenylnaphthalene-2-sulfonamide;
5-Acetyloxy-N-(2-phenethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-(1-phenethyl)naphthalene-2-sulfonamide;
5-Acetyloxy-N-benzyl-N-methylnaphthalene-2-sulfonamide;
N-Benzyl-5-hydroxynaphthalene-2-sulfonamide;
N-(2,4-Dichlorobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(3-Nitrobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-[4-(tert-Butyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;
N-[4-(Trifluoromethyl)benzyl]-5-hydroxynaphthalene-2-sulfonamide;
N-(2,3-Dimethoxybenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(3-Aminobenzyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(1-Naphthylmethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-[(5-Methylfuran-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;
N-[(Pyridin-2-yl)methyl]-5-hydroxynaphthalene-2-sulfonamide;
N-Phenyl-5-hydroxynaphthalene-2-sulfonamide;
N-(2-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-(1-Phenethyl)-5-hydroxynaphthalene-2-sulfonamide;
N-Benzyl-N-methyl-5-hydroxynaphthalene-2-sulfonamide;
5-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;
5-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
5-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
5-Acetylamino-N-benzyl-N-methylnaphthalene-2-sulfonamide;
5-Amino-N-benzyl-naphthalene-2-sulfonamide;

5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
5-Amino-N-benzyl-N-methylnaphthalene-2-sulfonamide;
6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;
6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;
6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-sulfonamide;
6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-sulfonamide;
6-Acetylamino-N-benzyl-naphthalene-2-sulfonamide;
6-Acetylamino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
6-Acetylamino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
6-Amino-N-benzyl-naphthalene-2-sulfonamide;
6-Amino-N-[4-(tert-butyl)benzyl]naphthalene-2-sulfonamide;
6-Amino-N-(2,3-dimethoxybenzyl)naphthalene-2-sulfonamide;
5-Amino-N-benzyl-naphthalene-1-carboxamide;
5-Amino-N-[4-(tert-butyl)benzyl]naphthalene-1-carboxamide; and
5-Amino-N-(2,3-dimethoxybenzyl)naphthalene-1-carboxamide.

19. (Previously Presented) The medicament according to claim 2, wherein the compound is N-[4-(tert-butyl)benzyl]-5-[[4-(4-methylphenyl)sulfonyl]oxy]naphthalene-1-sulfonamide.

20. (Withdrawn-Currently Amended) A method for enhancing an effect of a cancer therapy based on a mode of action of DNA injury in a mammal including a

human, which comprises applying a cancer therapy based on the mode of action of DNA injury to a cancer patient, and administering a substance selected from the group consisting of a compound represented by the general formula (I), and a pharmacologically acceptable salt thereof, and a hydrate thereof, and a solvate thereof according to claim 1, at a dose sufficient to enhance an effect of a cancer therapy.

21. (Withdrawn) The method according to claim 20, wherein R^5 is a phenyl group which may be substituted, a naphthyl group which may be substituted, a furyl group which may be substituted, a pyridyl group which may be substituted, or a benzimidazolyl group which may be substituted.

22. (Withdrawn-Currently Amended) A method for reducing a side effect resulting from a cancer therapy based on the mode of action of DNA injury in a mammal including a human, which comprises applying a cancer therapy based on the mode of action of DNA injury to a cancer patient, and administering a substance selected from the group consisting of a compound represented by the following general formula (I), and a pharmacologically acceptable salt thereof, and a hydrate thereof, and a solvate thereof according to claim 1, at a dose sufficient to reduce the side effect of the cancer therapy.

23. (Withdrawn) The method according to claim 22, wherein R^5 is a phenyl group which may be substituted, a naphthyl group which may be substituted, a furyl group which may be substituted, a pyridyl group which may be substituted, or a benzimidazolyl group which may be substituted.

24. (Currently Amended) The compound according to claim 10, or a pharmacologically acceptable salt thereof, or a hydrate thereof, or a solvate thereof, wherein R⁵ is a phenyl group which may be substituted, a naphthyl group which may be substituted, a furyl group which may be substituted, a pyridyl group which may be substituted, or a benzimidazolyl group which may be substituted.

25. (Currently Amended) The compound according to claim 24, or a pharmacologically acceptable salt thereof, or a hydrate thereof, or a solvate thereof, wherein A is a hydrogen atom, an acetyl group, or a para-toluenesulfonyl group.